

MADE IN ITALY. MADE TO EXCEL.

MARVEL

EPIC

Interactive version



MARBLE LOOK

PORCELAIN TILES

Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com

INDEX

- INSPIRATION
- THE COLLECTION
- SURFACE RANGE & TECHNICAL SPECIFICATION

INDEX



INSPIRATION



THE COLLECTION



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD

EPIC SCENARIOS



INDEX



INSPIRATION



THE COLLECTION



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD

One Space

the Atlas Concorde
ceramic ecosystem

The Collection

↔ Taj Mahal White



↔ Taj Mahal Noisette



↔ Onyx Ivory



↔ Alpinus



↔ Calacatta Viola



↔ Natural Roots



↔ Zephyr



INDEX



INSPIRATION



THE COLLECTION >

TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



TAJ MAHAL WHITE
RADIANCE MADE ETERNAL



FLOOR

Nyra
Mist
Hammered
160x320 cm | 63"x126"

WALL

Marvel Epic
Taj Mahal White
Silk
160x320 cm | 63"x126"

COUNTERTOP | FURNITURE

Marvel Epic
Taj Mahal White
Silk
162x324 cm | 63³/₄"x127¹/₂"



INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



FLOOR

Nyra
Mist
Hammered
160x320 cm | 63"x126"

WALL

Marvel Epic
Taj Mahal White
Silk
160x320 cm | 63"x126"

COUNTERTOP | FURNITURE

Marvel Epic
Taj Mahal White
Silk
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD

INDEX



INSPIRATION



THE COLLECTION



- TAJ MAHAL WHITE
- TAJ MAHAL NOISETTE
- ONYX IVORY
- ALPINUS
- CALACATTA VIOLA
- NATURAL ROOTS
- ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD

TAJ MAHAL NOISETTE

GOLDEN WARMTH, EPIC ALLURE



FLOOR	WALL	COUNTERTOP FURNITURE
Boost Vision	Marvel Epic	Marvel Epic
Camel	Taj Mahal Noisette	Taj Mahal Noisette
Hammered	Silk	Silk
160x320 cm 63"x126"	120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ "

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



FLOOR
Boost Vision
Camel
Hammered
160x320 cm | 63"x126"

WALL
Marvel Epic
Taj Mahal Noisette
Silk
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP | FURNITURE
Marvel Epic
Taj Mahal Noisette
Silk
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



ONYX IVORY

LIGHT SCULPTED IN PRECIOUS LAYERS



FLOOR	WALL		FURNITURE
Marvel T	Marvel Epic	Marvel T	Marvel Epic
Navona White	Onyx Ivory	Navona White Line	Onyx Ivory
Hammered	Polished	Hammered	Polished
160x320 cm 63"x126"	160x320 cm 63"x126"	160x320 cm 63"x126"	160x320 cm 63"x126"



INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



FLOOR
Marvel T
Navona White
Hammered
160x320 cm | 63"x126"

WALL
Marvel Epic
Onyx Ivory
Polished
160x320 cm | 63"x126"

Marvel T
Navona White Line
Hammered
160x320 cm | 63"x126"

FURNITURE
Marvel Epic
Onyx Ivory
Polished
160x320 cm | 63"x126"

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



ALPINUS

IMMENSITY BORN OF CRYSTAL SNOW



FLOOR	WALL	COUNTERTOP FURNITURE	
Boost Icor	Marvel Epic	Marvel Epic	Blaze
Bone	Alpinus	Alpinus	Iron
Hammered	Hammered	Hammered	Matte
160x320 cm 63"x126"	160x320 cm 63"x126"	162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ "	160x320 cm 63"x126"

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



FLOOR
Boost Icor
Bone
Hammered
160x320 cm | 63"x126"

WALL
Marvel Epic
Alpinus
Hammered
160x320 cm | 63"x126"

Boost Icor
Bone
Hammered
160x320 cm | 63"x126"

COUNTERTOP | FURNITURE
Marvel Epic
Alpinus
Hammered
162x324 cm | 63³/₄"x127¹/₂"

Blaze
Iron
Matte
160x320 cm | 63"x126"

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



CALACATTA VIOLA

BOLD MARBLE, ETERNAL STAGE



FLOOR

Marvel T

Navona White

Hammered

160x320 cm | 63"x126"

WALL

Marvel Epic

Calacatta Viola

Polished

160x320 cm | 63"x126"

COUNTERTOP | FURNITURE

Marvel Epic

Calacatta Viola

Polished

162x324 cm | 63³/₄"x127¹/₂"



INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



FLOOR	WALL	COUNTERTOP FURNITURE
Marvel T	Marvel Epic	Marvel Epic
Navona White	Calacatta Viola	Calacatta Viola
Hammered	Polished	Polished
160x320 cm 63"x126"	160x320 cm 63"x126"	162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ "

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



NATURAL ROOTS

NATURE'S PULSE FROZEN IN STONE



FLOOR
Boost Vision
Camel
Hammered
160x320 cm | 63"x126"

WALL
Marvel Epic
Natural Roots
Polished
160x320 cm | 63"x126"

Boost Vision
Camel
Hammered
160x320 cm | 63"x126"

COUNTERTOP | FURNITURE
Marvel Epic
Natural Roots
Polished
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



FLOOR
Boost Vision
Camel
Hammered
160x320 cm | 63"x126"

WALL
Marvel Epic
Natural Roots
Polished
160x320 cm | 63"x126"

COUNTERTOP | FURNITURE
Boost Vision
Camel
Hammered
160x320 cm | 63"x126"

Marvel Epic
Natural Roots
Polished
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



ZEPHYR

STORM OF COLORS, CALM OF SOUL



FLOOR
Boost Vision
Glow
Hammered
160x320 cm | 63"x126"

WALL
Marvel Epic
Zephyr
Silk
160x320 cm | 63"x126"

Boost Vision
Glow
Hammered
160x320 cm | 63"x126"

FURNITURE
Marvel Epic
Zephyr
Silk
162x324 cm | 63³/₄"x127¹/₂"



INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



FLOOR
Boost Vision
Glow
Hammered
160x320 cm | 63"x126"

WALL
Marvel Epic
Zephyr
Silk
160x320 cm | 63"x126"

Boost Vision
Glow
Hammered
160x320 cm | 63"x126"

FURNITURE
Marvel Epic
Zephyr
Silk
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



THE COLLECTION



TAJ MAHAL WHITE
TAJ MAHAL NOISETTE
ONYX IVORY
ALPINUS
CALACATTA VIOLA
NATURAL ROOTS
ZEPHYR

SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD




SURFACE RANGE & TECHNICAL SPECIFICATIONS

- ↔ MARVEL EPIC RANGE
- ↔ TECHNICAL SPECIFICATIONS
- ↔ ATLAS CONCORDE HABITAT

Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

		Taj Mahal White	Taj Mahal Noisette	Onyx Ivory	Alpinus	Calacatta Viola	Natural Roots	Zephyr
Floor								
Wall								
Bathroom furniture								
160x320* cm - 63"x126"	± 6 mm	Silk ●	Silk ●	Polished ●	Hammered ●	Polished ●	Polished Silk ●	Polished Silk ●
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Silk ●	Silk ●	Polished ●	Matte ●	Polished ●	Polished ●	Polished ●
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Matte Sensitech	Matte Sensitech	Polished	Matte Sensitech	Polished	Polished	Polished
Slabs for countertops and furniture								
162x324* cm - 63 3/4"x127 1/2"	± 12 mm	Silk ■	Silk ■	Polished ■	Hammered ■	Polished Satin ■	Polished Silk ■	Polished Silk ■
> Non rectified Non rettificato								
* Atlas Plan		■ Also available in bookmatch		● Also available kit endless				





Sensitech

Note on Polished and Silk surface finish / Nota sulla finitura Lappata e Silk.

Polished and silk finishes are recommended for low-stress residential or commercial floors where anti-slip performance is not required. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The surface's shine and superior ease of cleaning are the result of in-depth studies and extensive technical research aimed at ensuring its durability over time. If the product is in direct contact with the outside, use moisture and dirt absorption devices to prevent scratches. Le finiture lappata e silk sono indicate per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.


Destination of use



Anti-slip



Color-shading



INDEX



INSPIRATION



THE COLLECTION



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL EPIC RANGE
TECHNICAL SPECIFICATIONS
ATLAS CONCORDE HABITAT

MARVEL WORLD

Taj Mahal White

SIZE	THICKNESS	FINISH
not rectified		
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk ■
rectified monocaliber		
160 x 320 cm 63" x 126"	± 6 mm	Silk ●
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	Silk ●
60 x 120 cm 23 5/8" x 47 1/4"	± 9 mm	Matte Sensitech

■ Also available in bookmatch ● Also available kit endless

Taj Mahal Noisette

SIZE	THICKNESS	FINISH
not rectified		
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Silk ■
rectified monocaliber		
160 x 320 cm 63" x 126"	± 6 mm	Silk ●
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	Silk ●
60 x 120 cm 23 5/8" x 47 1/4"	± 9 mm	Matte Sensitech

■ Also available in bookmatch ● Also available kit endless

INDEX



INSPIRATION



THE COLLECTION



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL EPIC RANGE
TECHNICAL SPECIFICATIONS
ATLAS CONCORDE HABITAT

MARVEL WORLD

Onyx Ivory

SIZE	THICKNESS	FINISH
not rectified		
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished ■
rectified monocaliber		
160 x 320 cm 63" x 126"	± 6 mm	Polished ●
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	Polished ●
60 x 120 cm 23 5/8" x 47 1/4"	± 9 mm	Polished

■ Also available in bookmatch ● Also available kit endless

Alpinus

SIZE	THICKNESS	FINISH
not rectified		
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Hammered ■ ID Skin
rectified monocaliber		
160 x 320 cm 63" x 126"	± 6 mm	Hammered ● ID Skin
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	Matte ● ID Skin
60 x 120 cm 23 5/8" x 47 1/4"	± 9 mm	Matte Sensitech

■ Also available in bookmatch ● Also available kit endless

ID Skin
This surface enhances the details and the fine texture of the product.
La superficie esalta i dettagli e la matericità del prodotto.

INDEX



INSPIRATION



THE COLLECTION



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL EPIC RANGE
TECHNICAL SPECIFICATIONS
ATLAS CONCORDE HABITAT

MARVEL WORLD

Calacatta Viola

SIZE	THICKNESS	FINISH
not rectified		
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished ■ Satin ■
rectified monocaliber		
160 x 320 cm 63" x 126"	± 6 mm	Polished ●
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	Polished ●
60 x 120 cm 23 5/8" x 47 1/4"	± 9 mm	Polished

■ Also available in bookmatch ● Also available kit endless



Natural Roots

SIZE	THICKNESS	FINISH
not rectified		
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished ■ Silk ■
rectified monocaliber		
160 x 320 cm 63" x 126"	± 6 mm	Polished ● Silk ●
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	Polished ●
60 x 120 cm 23 5/8" x 47 1/4"	± 9 mm	Polished

■ Also available in bookmatch ● Also available kit endless



INDEX



INSPIRATION



THE COLLECTION



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL EPIC RANGE
TECHNICAL SPECIFICATIONS
ATLAS CONCORDE HABITAT

MARVEL WORLD

Zephyr

SIZE	THICKNESS	FINISH
not rectified		
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	Polished ■ Silk ■
rectified monocaliber		
160 x 320 cm 63" x 126"	± 6 mm	Polished ● Silk ●
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	Polished ●
60 x 120 cm 23 5/8" x 47 1/4"	± 9 mm	Polished

■ Also available in bookmatch ● Also available kit endless



Porcelain tiles - Rectified monocaliber

Compliant with standards EN 14411 annex G group B1a
Compliant with standards ISO 13006 annex G group B1a
Conforme alla norma EN 14411 Appendice G gruppo B1a
Conforme alla norma ISO 13006 Appendice G gruppo B1a

Gres porcellanato - Rettificato monocalibro

160x320 cm - 63"x126"
120x278 cm - 47 1/4"x109 1/2"
60x120 cm - 23 5/8"x47 1/4"

± 6 mm
± 6 mm
± 9 mm

Technical features Caratteristiche tecniche	Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles			
		7 cm ≤ N < 15 cm	N ≥ 15 cm		Silk ± 6 mm	Polished ± 6 mm	Polished ± 9 mm	Matte Sensitech ± 9 mm
		(mm)	(%)	(mm)				
 Length and width Lunghezza e larghezza Thickness Spessore Straightness of sides Rettilinearità degli spigoli Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		± 0,5 (**)	± 5 (**)	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 1,5 (****) Non-rect. ± 0,8 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
 Surface flatness Planarità	ISO 10545-2	c.c. ± 0,8 Non-rect. c.c. ± 0,5 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.				
		w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.				
 Water absorption (in % by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _p ≤ 0,5% Individual Maximum 0,6% E _p ≤ 0,5% Valore massimo singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
	ASTM C373	Requirement ANSI A137.1 Water absorption max ≤ 0,5%			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
 Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm) R ≥ 35 N/mm ²			S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N
 Modulus of rupture Resistenza alla flessione	EN 1339 Annex F	-			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²
 Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)(5)					-	-	-	-
 Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
 Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
 Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹
 Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
 Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
 Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
 Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)
 Reaction to fire Reazione al fuoco	-	Class A1 or A1_f Classe A1 oppure A1 _f			A1 - A1 _f	A1 - A1 _f	A1 - A1 _f	A1 - A1 _f
 Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A
		Declared Class Classe dichiarata			LA	LA	LA	LA
		Declared Class Classe dichiarata			HA	-	-	HA
 Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5
 Shooed Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			N.C.	N.C.	N.C.	R10
	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			0	0	0	A+B
	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as 'low slip risk'			≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 36 Wet
	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			-	-	-	Class P3
	UNE EN 16165 ANNEX C (EX UNE 41901 EX 2017)	Declared value Valore dichiarato			-	-	-	Class C2
Coefficient of friction (COF) Coefficiente di attrito		B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata		> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico		ANSI A 326.3	-		dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, della spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alla dimensione di fabbricazione (WS) corrispondenti.
(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alla dimensione di fabbricazione (WS) corrispondenti.
c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alla dimensione di fabbricazione (WS) corrispondenti.
w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello sverglamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonali; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
(2) Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
(4) For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
(5) Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.



Furniture in combination with
Atlas Concorde surfaces

atlasconcorde.com >
ATLAS CONCORDE HABITAT




Bathroom Furniture


Custom Elements

Essenza


MONO
Single Sink




DUO
Twin Sink




UP
Sit-on basin



BLOCK
Free-Standing




LEVEL
Top




Evoluzione


MONO
Single Sink



DUO
Twin Sink




BLOCK
Free-standing




Dialogo

Designer Sinks
Single




Designer Sinks
Twin




Armonia

Single drawer




Twin drawer




Tables


BROOKLYN 75
Dining Tables




BROOKLYN 25
Coffee Tables




INCONTRO 75
Dining Tables




INCONTRO 25
Coffee Tables




CONTATTO
Side Table



MANHATTAN
Hospitality Tables



COSMOPOLITAN
Hospitality Tables




Signature Objects


BY PIERO LISSONI

Tratto


LIBRA
T-Frame




ELLE
L-Frame




TORRE
Wall I-Frame




TORRE
Ground I-Frame




TORRE
Slim Wall I-Frame




LINEA
T-Shelf




OMEGA
U-Shelf




GIOTTO
Side Table



HASHTAG
Flower Pot



ARCO
Bench



QUADRO - 3D QUADRO
Tray




DISCO - 3D DISCO
Tray



FILO
Serving Board



TRAMA
Centerpiece



INDEX



INSPIRATION



THE COLLECTION



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL EPIC RANGE
TECHNICAL SPECIFICATIONS
ATLAS CONCORDE HABITAT

MARVEL WORLD

MARVEL
EPIC

MARVEL
T

MARVEL
DIVA

MARVEL
3D
WALL

MARVEL
MERAVIGLIA

MARVEL
ONYX

MARVEL
X

MARVEL
GALA

MARVEL
TRAVERTINE

MARVEL
SHINE

MARVEL
DREAM

MARVEL
STONE

MARVEL
GEMS

MARVEL

MARVELWORLD

A world of emotions

Marvel World encompasses all the marble-look surfaces of Atlas Concorde in a single tool capable of offering ample creative potential: a complete stylistic project for inspiration, color range, and availability of formats and decors.

Marvel World racchiude tutte le superfici effetto marmo di Atlas Concorde in un unico strumento in grado di offrire ampie potenzialità creative: un progetto stilistico completo per ispirazione, ampiezza cromatica e disponibilità di formati e decori.



DISCOVER
MARVEL WORLD

Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.


Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali




Product certifications / Certificazioni di prodotto



Product declarations / Dichiarazioni di prodotto



Certification for buildings / Rating dell'edificio



Certifications for export to international markets*



Ratings and memberships



* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

⁽¹⁾ Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2024
⁽²⁾ Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB32>
⁽³⁾ Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: france@atlasconcorde.it
⁽⁴⁾ Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edili che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.
All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.

INDEX



INSPIRATION



THE COLLECTION



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL WORLD



atlasconcorde.com

Copyright 2025 by Ceramiche Atlas Concorde S.p.A
(41042 Spezzano di Fiorano (MO) - Italia)
September 2025