

MADE IN ITALY. MADE TO EXCEL.

NYRA

UTOPIA

Interactive version

STONE LOOK

PORCELAIN TILES

Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит

WALL TILES

Rivestimenti
Revêtements
Wandfliesen
Revestimientos
Настенная плитка



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com



INDEX

- 02 INSPIRATION
- 22 UTOPIA
- 94 SURFACE RANGE & TECHNICAL SPECIFICATION



DOWNLOAD >
DIGITAL
CATALOG



ENJOY THE
VIDEO

Collection in collaboration
with NOA

INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



SHAPES UTOPIA.



NOA is a collective of architects and interior designers founded in Bolzano in 2011 by Stefan Rier and Lukas Rungger. Over fifteen years of practice, the studio has established itself as a leading name in hospitality architecture and design, with projects completed throughout the Alpine region and new concepts currently under development on an international scale.



HUBERTUS – OLANG, SOUTH TYROL (ITALY)



Deeply rooted in nature. A wider view.

NOA reads every place as a living system, where radically contemporary architecture, nature and human life exist in balance. The vision behind UTOPIA.

What nature begins.
Utopia takes further.

NOA reimagines nature as radically contemporary architecture. NYRA UTOPIA turns that vision into a surface the senses recognise as stone—then takes it beyond what stone alone can achieve.

ÖTZI PEAK – SCHNALS VALLEY GLACIER, SOUTH TYROL (ITALY)



UTOPIA, A LAND SET IN STONE.

To design Utopia, look beyond architecture.
What if the city felt natural?

An urban comfort lives with a natural rhythm.



UTOPIA IS A NEW SCALE OF LIFE.

Public or private, intimate or shared, every place balances nature, architecture and life. NYRA UTOPIA brings that balance to the surface: the feeling of nature, taken further by design.

UTOPIA DESIGNED BY



✕
MOUNTAIN SHANGRI-LA
✕



✕
AIRPORT
✕
RESIDENTIAL DISTRICT
✕



HOTEL MARINA



COUNTRY VILLA



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



ROOFTOP



PROMENADE



UTOPIA, IS THREE SOULS.

Three souls better together.
Texture and Finishes that work
in armony enhancing design freedom.



UTOPIA IS HAMMERED FINISH.

HAMMERED FINISH

An irregular, pronounced texture.
Tactile and richly material, visually
fragmented.



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



UTOPIA IS NATURAL FINISH.

NATURAL FINISH

A fine, even texture.
Soft to the touch, matte
and uniform in appearance.



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



UTOPIA IS RIBBED FINISH.

RIBBED FINISH

A texture of fine parallel lines with irregular edges. Slightly structured to the touch, with a chiaroscuro effect.



UTOPIA, IS MANY TONES.

A refined selection of light, warm neutrals inspired by the natural beauty of stone – from the lightest white ever created to a distinctive beige and a warm mineral grey.



Inspiration

INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



UTOPIA IS DECORATIVE.

Nature, shaped to stand out.
A natural rhythm shaped in stone, where
decorative surfaces create material contrasts
and subtle plays of light and shadow.



EARTHQUAKE MOSAIC designed by **NOA** ^



PIANOFORTE MOSAIC designed by **NOA** ^



CHEVRON ^



RIBBED ^



3D GROOVE designed by **Noa** ^



3D SADDLE designed by **Alberto Apostoli** ^

Design Gallery

Country Villa



Promenade



Rooftop



Residential District



Mountain Shangri-La



Airport



Hotel Marina



UTOPIA DESIGNED BY



INDEX



INSPIRATION



DESIGN
GALLERY



- COUNTRY VILLA
- PROMENADE
- ROOFTOP
- RESIDENTIAL DISTRICT
- MOUNTAIN SHANGRI-LA
- AIRPORT
- HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



COUNTRY VILLA

FLOOR

Nyra Utopia Popcorn

Outdoor Sensitech

60x120 cm | 23⁵/₈"x47¹/₄" ± 20 mm

WALL

Nyra Utopia Popcorn

Matte

120x278 cm | 47¹/₄"x109¹/₂"

Nyra Utopia Bordo Piscina Popcorn

Outdoor Sensitech

30x60 cm | 11³/₄"x23⁵/₈" ± 20 mm

Nyra Utopia Bordo Piscina Ang. Dx/Sx Popcorn

Outdoor Sensitech

30x60 cm | 11³/₄"x23⁵/₈" ± 20 mm



INDEX



INSPIRATION



DESIGN GALLERY



COUNTRY VILLA

PROMENADE

ROOFTOP

RESIDENTIAL DISTRICT

MOUNTAIN SHANGRI-LA

AIRPORT

HOTEL MARINA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



FLOOR	WALL	SIDE TABLE TRATTO - GIOTTO
Nyra Utopia Popcorn	Nyra Utopia Popcorn	Atlas Concorde Habitat Nyra Ambrosia - Boost Vision Camel
Outdoor Sensitech $\pm$ 20 mm 60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	Matte 120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	Hammered Ø 450 mm 17 ³ / ₄ "



FLOOR	Nyra Utopia Bordo Piscina Popcorn
Nyra Utopia Popcorn	Outdoor Sensitech $\pm$ 20 mm
Outdoor Sensitech $\pm$ 20 mm 60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	Outdoor Sensitech 30x60 cm 11 ³ / ₄ "x23 ⁵ / ₈ " $\pm$ 20 mm





FLOOR
Nyra Utopia
Popcorn
Matte Sensitech
120x240 cm | 47 1/4" x 94 1/2"

WALL
Nyra Utopia
Popcorn
Matte
120x278 cm | 47 1/4" x 109 1/2"

Nyra Utopia
Mosaico Earthquake Popcorn
Matte
30x30 cm | 11 3/4" x 11 3/4"

STORAGE UNIT | TRATTO - ELLE
Atlas Concorde Habitat
Nyra Utopia Popcorn
Hammered
90x30x77.5 cm | 35 3/8" x 11 3/4" x 30 1/2"

STORAGE UNIT | TRATTO - TORRE
Atlas Concorde Habitat
Nyra Utopia Popcorn
Hammered
30x30x120 cm | 11 3/4" x 11 3/4" x 47 1/2"

FLOOR	WALL		STORAGE UNIT TRATTO - TORRE
Nyra Utopia Popcorn	Nyra Utopia Popcorn	Nyra Utopia Mosaico Earthquake Popcorn	Atlas Concorde Habitat Nyra Utopia Popcorn
Matte Sensitech 120x240 cm 47 ¹ / ₄ "x94 ¹ / ₂ "	Matte 120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	Matte 30x30 cm 11 ³ / ₄ "x11 ³ / ₄ "	Hammered 30x30x120 cm 11 ³ / ₄ "x11 ³ / ₄ "x47 ¹ / ₄ "



FLOOR
Nyra Utopia Popcorn
Matte Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

STORAGE UNIT | TRATTO - ELLE
Atlas Concorde Habitat Nyra Utopia Popcorn
Hammered
90x30x77,5 cm | 35³/₈"x11³/₄"x30¹/₂"

INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA

PROMENADE

ROOFTOP

RESIDENTIAL DISTRICT

MOUNTAIN SHANGRI-LA

AIRPORT

HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

**Nyra Utopia
Popcorn**

Matte Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

WALL

**Nyra Utopia
Popcorn**

Ribbed
120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE

**Nyra Utopia
Comet**

Matte
120x278 cm | 47¹/₄"x109¹/₂"

BACKSPLASH

**Nyra Utopia
Comet**

Ribbed
120x278 cm | 47¹/₄"x109¹/₂"

KITCHEN COUNTERTOP

**Atlas Plan
Nyra Utopia Comet**

Hammered
160x320 cm | 63"x126"

KITCHEN WATERFALL

**Atlas Plan
Nyra Utopia Comet**

Ribbed
120x278 cm | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA

PROMENADE

ROOFTOP

RESIDENTIAL DISTRICT

MOUNTAIN SHANGRI-LA

AIRPORT

HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FURNITURE

**Nyra Utopia
Comet**

Matte
120x278 cm | 47 1/4" x 109 1/2"

BACKSPLASH

**Nyra Utopia
Comet**

Ribbed
120x278 cm | 47 1/4" x 109 1/2"



FLOOR

**Nyra Utopia
Popcorn**

Matte Sensitech
120x240 cm | 47 1/4" x 94 1/2"

FURNITURE

**Nyra Utopia
Comet**

Matte
120x278 cm | 47 1/4" x 109 1/2"

BACKSPLASH

**Nyra Utopia
Comet**

Ribbed
120x278 cm | 47 1/4" x 109 1/2"

KITCHEN COUNTERTOP

**Atlas Plan
Nyra Utopia Comet**

Hammered
160x320 cm | 63" x 126"

KITCHEN WATERFALL

**Atlas Plan
Nyra Utopia Comet**

Ribbed
120x278 cm | 47 1/4" x 109 1/2"

FLOOR
Nyra Utopia
Popcorn
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Nyra Utopia
Popcorn
Hammered Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Nyra Utopia
Field Popcorn
Matte
50x120 | 19⁵/₈"x47¹/₄"

Nyra Utopia
3D Groove Popcorn
Matte
50x120 | 19⁵/₈"x47¹/₄"

LEVEL | TOP
Atlas Concorde Habitat
Nyra Utopia Popcorn
Matte Sensitech
210x60x15 | 82⁵/₈"x23³/₈"x5³/₈"

SIDE TABLE | CONTATTO
Atlas Concorde Habitat
Precious Brown
Silk
Ø 45 cm | 17¹/₄"

SHELVES | TRATTO - OMEGA
Atlas Concorde Habitat
Nyra Utopia Popcorn
Matte Sensitech
60x12x10 cm | 23⁵/₈"x4³/₄"x3⁷/₈" - 90x12x10 cm | 35⁵/₈"x4³/₄"x3⁷/₈"



WALL
**Nyra Utopia
Field Popcorn**
Matte
50x120 | 19⁵/₈"x47¹/₄"

FLOOR
**Nyra Utopia
Popcorn**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

LEVEL | TOP
**Atlas Concorde Habitat
Nyra Utopia Popcorn**
Matte Sensitech
210x60x15 | 82⁵/₈"x23⁵/₈"x5⁷/₈"



WALL
**Nyra Utopia
3D Groove Popcorn**
Matte
50x120 | 19⁵/₈"x47¹/₄"

FLOOR
**Nyra Utopia
Popcorn**
Hammered Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

SIDE TABLE | CONTATTO
**Atlas Concorde Habitat
Precious Brown**
Silk
Ø 45 cm | 17³/₄"

SHELVES | TRATTO - OMEGA
**Atlas Concorde Habitat
Nyra Utopia Popcorn**
Matte Sensitech
60x12x10 cm | 23³/₈"x4³/₄"x3⁷/₈" – 90x12x10 cm | 35⁵/₈"x4³/₄"x3⁷/₈"

INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA

PROMENADE

ROOFTOP

RESIDENTIAL DISTRICT

MOUNTAIN SHANGRI-LA

AIRPORT

HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



PROMENADE

- FLOOR

Nyra Utopia Comet

Outdoor Sensitech

60x120 cm | 23⁵/₈"x47¹/₄" ± 20 mm
- FACADE

Nyra Utopia Reef

Hammered

160x320 cm | 63"x126"
- Nyra Utopia Comet**

Matte

120x278 cm | 47¹/₄"x109¹/₂"
- SITTING WALL

Nyra Utopia Comet

Matte Sensitech

30x60 cm | 11³/₄"x23⁵/₈"
- Nyra Utopia Comet**

Matte Sensitech

60x120 cm | 23⁵/₈"x47¹/₄"



INDEX



INSPIRATION



DESIGN GALLERY



COUNTRY VILLA

PROMENADE

ROOFTOP

RESIDENTIAL DISTRICT

MOUNTAIN SHANGRI-LA

AIRPORT

HOTEL MARINA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





FACADE

Nyra Utopia
Reef
Hammered
160x320 cm | 63" x 126"

Nyra Utopia
Comet
Matte
120x278 cm | 47 1/4" x 109 1/2"



INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA

PROMENADE

ROOFTOP

RESIDENTIAL DISTRICT

MOUNTAIN SHANGRI-LA

AIRPORT

HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR

Nyra Utopia
Comet
Outdoor Sensitech
60x120 cm | 23 5/8" x 47 1/4" ± 20 mm

SITTING WALL

Nyra Utopia
Comet
Matte Sensitech
30x60 cm | 11 1/4" x 23 5/8"

Nyra Utopia
Comet
Matte Sensitech
60x120 cm | 23 5/8" x 47 1/4"

ROOFTOP

FLOOR
Nyra Utopia Reef
Outdoor Sensitech
80x80 cm | 31¹/₂"x31¹/₂" ± 20 mm

FACADE
Nyra Utopia Reef
Hammered
60x120 | 23⁵/₈"x47¹/₄"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel
Hammered
Ø 45 cm | 17³/₄" - Ø 65 cm | 25⁵/₈" - Ø 120 cm | 47¹/₄"



INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA
PROMENADE

ROOFTOP

RESIDENTIAL DISTRICT
MOUNTAIN SHANGRI-LA
AIRPORT
HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





<
FACADE
**Nyra Utopia
Reef**
Hammered
60x120 | 23⁵/₈" x 47¹/₄"

^
FLOOR
**Nyra Utopia
Reef**
Outdoor Sensitech
80x80 cm | 31¹/₂" x 31¹/₂" ± 20 mm

SIDE TABLE | TRATTO - GIOTTO
**Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel**
Hammered
Ø 45 cm | 17³/₄" - Ø 65 cm | 25⁵/₈" - Ø 120 cm | 47¹/₄"

INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA
PROMENADE

ROOFTOP

RESIDENTIAL DISTRICT
MOUNTAIN SHANGRI-LA
AIRPORT
HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

**Nyra Utopia
Reef**
Matte Sensitech
80x80 cm | 31¹/₂"x31¹/₂"

WALL

**Nyra Utopia
Reef**
Ribbed
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | TRATTO - GIOTTO

**Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel**
Hammered
Ø 45 cm | 17³/₄" - Ø 65 cm | 25⁵/₈"



INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA
PROMENADE

ROOFTOP

RESIDENTIAL DISTRICT
MOUNTAIN SHANGRI-LA
AIRPORT
HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



WALL

**Nyra Utopia
Reef**

Ribbed
120x278 cm | 47¹/₄"x109¹/₂"



FLOOR

**Nyra Utopia
Reef**

Matte Sensitech
80x80 cm | 31¹/₂"x31¹/₂"

SIDE TABLE | TRATTO - GIOTTO

**Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel**

Hammered
Ø 45 cm | 17³/₄"

INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA
PROMENADE

ROOFTOP

RESIDENTIAL DISTRICT
MOUNTAIN SHANGRI-LA
AIRPORT
HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR

**Nyra Utopia
Reef**
Matte Sensitech
80x80 cm | 31¹/₂"x31¹/₂"

WALL

**Nyra Utopia
Reef**
Ribbed
120x278 cm | 47¹/₄"x109¹/₂"

BACKSPLASH

**Nyra Utopia
Reef**
Ribbed
120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE

**Nyra Utopia
Reef**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

KITCHEN COUNTERTOP

**Atlas Plan
Nyra Utopia Reef**
Hammered
160x320 cm | 63"x126"

KITCHEN WATERFALL

**Atlas Plan
Nyra Utopia Reef**
Ribbed
120x278 cm | 47¹/₄"x109¹/₂"

DINING TABLE | BROOKLYN 75

**Atlas Concorde Habitat
Precious Brown**
Silk
100x180 cm | 39³/₈"x70⁷/₈"



FLOOR

Nyra Utopia Reef
Matte Sensitech
80x80 cm | 31 1/2" x 31 1/2"

KITCHEN COUNTERTOP

Atlas Plan Nyra Utopia Reef
Hammered
160x320 cm | 63" x 126"

KITCHEN WATERFALL

Atlas Plan Nyra Utopia Reef
Ribbed
120x278 cm | 47 1/4" x 109 1/2"



BACKSPLASH

Nyra Utopia Reef
Ribbed
120x278 cm | 47 1/4" x 109 1/2"

FURNITURE

Nyra Utopia Reef
Matte
120x278 cm | 47 1/4" x 109 1/2"

INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA
PROMENADE

ROOFTOP

RESIDENTIAL DISTRICT
MOUNTAIN SHANGRI-LA
AIRPORT
HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



SHOWER FLOOR
Nyra Utopia Comet
Matte Sensitech
7.5x60 cm | 3"x23⁵/₈"

SHOWER WALL
Nyra Utopia Comet
Matte Sensitech
7.5x60 cm | 3"x23⁵/₈"

Nyra Utopia Comet
Matte
120x278 cm | 47¹/₄"x109¹/₂"

SHELF
Nyra Utopia Reef
Matte
120x278 cm | 47¹/₄"x109¹/₂"

FLOOR
Nyra Utopia Reef
Matte Sensitech
80x80 cm | 31¹/₂"x31¹/₂"

WALL
Nyra Utopia Reef
Matte
120x278 cm | 47¹/₄"x109¹/₂"

SHELVES | TRATTO - OMEGA
Atlas Concorde Habitat Nyra Utopia Comet
Matte Sensitech
30x12x10 cm | 11³/₄"x4³/₄"x3⁷/₈"


SINK WALL
Nyra Utopia 3D Saddle Reef
Matte
40x80 cm | 15³/₄"x31¹/₂"

60x12x10 cm | 23⁵/₈"x4³/₄"x3⁷/₈"

BENCH | TRATTO - ARCO
Atlas Concorde Habitat Nyra Utopia Comet
Matte Sensitech
150x42x42 cm | 59x16¹/₂"x16¹/₂"

SINK | ESSENZA BLOCK
Atlas Concorde Habitat Nyra Utopia Comet
Matte Sensitech
65x50x85 cm | 25⁵/₈" x 19⁵/₈"x33¹/₂"

SHOWER FLOOR	SHOWER WALL		SHELF	SHELVES TRATTO - OMEGA
Nyra Utopia Comet	Nyra Utopia Comet	Nyra Utopia Comet	Nyra Utopia Reef	Atlas Concorde Habitat Nyra Utopia Comet
Matte Sensitech 7,5x60 cm 3"x23 ⁵ / ₈ "	Matte Sensitech 7,5x60 cm 3"x23 ⁵ / ₈ "	Matte 120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	Matte 120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	Matte Sensitech 30x12x10 cm 11 ³ / ₄ "x4 ³ / ₄ "x3 ⁷ / ₈ "



SHOWER FLOOR	SHELF
Nyra Utopia Comet	Nyra Utopia Reef
Matte Sensitech 7,5x60 cm 3"x23 ⁵ / ₈ "	Matte 120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "

INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA
PROMENADE

ROOFTOP

RESIDENTIAL DISTRICT
MOUNTAIN SHANGRI-LA
AIRPORT
HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Nyra Utopia Reef
Matte Sensitech
80x80 cm | 31¹/₂"x31¹/₂"

WALL
Nyra Utopia 3D Saddle Reef
Matte
40x80 cm | 15³/₄"x31¹/₂"

SINK | ESSENZA BLOCK
Atlas Concorde Habitat Nyra Utopia Comet
Matte Sensitech
65x50x85 cm | 25⁵/₈" x 19⁵/₈"x33¹/₂"

BENCH | TRATTO - ARCO
Atlas Concorde Habitat Nyra Utopia Comet
Matte Sensitech
150x42x42 cm | 59x16¹/₂"x16¹/₂"

INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA
PROMENADE

ROOFTOP

RESIDENTIAL DISTRICT
MOUNTAIN SHANGRI-LA
AIRPORT
HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



RESIDENTIAL DISTRICT

FACADE
**Nyra Utopia
Popcorn**
Outdoor Sensitech
60x120 cm | 23⁵/₈"x47¹/₄" ± 20 mm

**Nyra Utopia
Barley**
Outdoor Sensitech
60x120 cm | 23⁵/₈"x47¹/₄" ± 20 mm

SITTING WALL
**Nyra Utopia
Barley**
Matte Sensitech
30x60 cm | 11³/₄"x23⁵/₈"

FLOOR
**Nyra Utopia
Popcorn**
Outdoor Sensitech
120x120 cm | 47¹/₄"x47¹/₄" ± 20 mm



INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA
PROMENADE
ROOFTOP

RESIDENTIAL DISTRICT
MOUNTAIN SHANGRI-LA
AIRPORT
HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
**Nyra Utopia
Popcorn**
Outdoor Sensitech
120x120 cm | 47¹/₄"x47¹/₄" ± 20 mm

SITTING WALL
**Nyra Utopia
Barley**
Matte Sensitech
30x60 cm | 11³/₄"x23⁵/₈"



FACADE
**Nyra Utopia
Popcorn**
Outdoor Sensitech
60x120 cm | 23⁵/₈"x47¹/₄" ± 20 mm

**Nyra Utopia
Barley**
Outdoor Sensitech
60x120 cm | 23⁵/₈"x47¹/₄" ± 20 mm

MOUNTAIN SHANGRI-LA

FLOOR
Nyra Utopia Barley
Outdoor Sensitech
60x120 cm | 23⁵/₈"x47¹/₄" ± 20 mm

Nyra Utopia Barley Elemento L
Outdoor Sensitech
33x120 cm | 13"x47¹/₄" ± 20 mm

FACADE
Nyra Utopia Barley
Hammered
60x120 cm | 23⁵/₈"x47¹/₄"



INDEX



INSPIRATION



DESIGN GALLERY



- COUNTRY VILLA
- PROMENADE
- ROOFTOP
- RESIDENTIAL DISTRICT
- MOUNTAIN SHANGRI-LA
- AIRPORT
- HOTEL MARINA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



FLOOR

Nyra Utopia Barley

Outdoor Sensitech

60x120 cm | 23⁵/₈"x47¹/₄" ± 20 mm

Nyra Utopia Barley Elemento L

Outdoor Sensitech

33x120 cm | 13"x47¹/₄" ± 20 mm



INDEX 

INSPIRATION 

DESIGN GALLERY 

- COUNTRY VILLA
- PROMENADE
- ROOFTOP
- RESIDENTIAL DISTRICT
- MOUNTAIN SHANGRI-LA
- AIRPORT
- HOTEL MARINA

SURFACE RANGE & TECHNICAL SPECS 

ENJOY THE VIDEO 



FLOOR

Nyra Utopia Barley

Outdoor Sensitech

60x120 cm | 23⁵/₈"x47¹/₄" ± 20 mm

FACADE

Nyra Utopia Barley

Hammered

60x120 cm | 23⁵/₈"x47¹/₄"



FACADE
Nyra Utopia
Barley
Hammered
60x120 cm | 23⁵/₈"x47¹/₄"

SIDE TABLE | CONTATTO
Atlas Concorde Habitat
Precious Brown
Silk
Ø 45 cm | 17³/₄"



FLOOR
Nyra Utopia
Barley
Outdoor Sensitech
60x120 cm | 23⁵/₈"x47¹/₄" ± 20 mm

FACADE
Nyra Utopia
Barley
Hammered
60x120 cm | 23⁵/₈"x47¹/₄"

TABLE | BROOKLYN 75
Atlas Concorde Habitat
Precious Brown
Silk
100x180 cm | 39³/₈"x70⁷/₈"



- COUNTRY VILLA
- PROMENADE
- ROOFTOP
- RESIDENTIAL DISTRICT
- MOUNTAIN SHANGRI-LA
- AIRPORT
- HOTEL MARINA



FLOOR
Nyra Utopia
Barley
Matte Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

WALL
Nyra Utopia
Barley
Matte
120x278 cm | 47¹/₄"x109¹/₂"

FIREPLACE
Nyra Utopia
Mosaico Earthquake Barley
Matte
30x30 cm | 11³/₄"x11³/₄"

FLOOR	WALL	FIREPLACE	SIDE TABLE CONTATTO
Nyra Utopia Barley	Nyra Utopia Barley	Nyra Utopia Mosaico Earthquake Barley	Atlas Concorde Habitat Precious Brown
Matte Sensitech 60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	Matte 120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	Matte 30x30 cm 11 ³ / ₄ "x11 ³ / ₄ "	Silk Ø 45 cm 17 ³ / ₄ "



INDEX



INSPIRATION



DESIGN
GALLERY



- COUNTRY VILLA
- PROMENADE
- ROOFTOP
- RESIDENTIAL DISTRICT
- MOUNTAIN SHANGRI-LA
- AIRPORT
- HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



AIRPORT



FLOOR

Nyra Utopia Comet

Outdoor Sensitech

120x120 cm | 47 1/4" x 47 1/4" ± 20 mm

FACADE

Nyra Utopia Comet

Hammered

160x320 cm | 63" x 126"

SITTING WALLS

Nyra Utopia Reef

Matt

120x278 cm | 47 1/4" x 109 1/2"

INDEX



INSPIRATION



DESIGN GALLERY



- COUNTRY VILLA
- PROMENADE
- ROOFTOP
- RESIDENTIAL DISTRICT
- MOUNTAIN SHANGRI-LA

AIRPORT

HOTEL MARINA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





FLOOR
**Nyra Utopia
Comet**
Outdoor Sensitech
120x120 cm | 47 1/4"x47 1/4" ± 20 mm

FACADE
**Nyra Utopia
Comet**
Hammered
160x320 cm | 63"x126"

SITTING WALLS
**Nyra Utopia
Reef**
Matt
120x278 cm | 47 1/4"x109 1/2"



INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA
PROMENADE
ROOFTOP
RESIDENTIAL DISTRICT
MOUNTAIN SHANGRI-LA

AIRPORT
HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



DESIGN GALLERY



- COUNTRY VILLA
- PROMENADE
- ROOFTOP
- RESIDENTIAL DISTRICT
- MOUNTAIN SHANGRI-LA

AIRPORT
HOTEL MARINA

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA
PROMENADE
ROOFTOP
RESIDENTIAL DISTRICT
MOUNTAIN SHANGRI-LA

AIRPORT

HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR	WALL	DESK	
Nyra Utopia Comet	Nyra Utopia Comet	Nyra Utopia Comet	Nyra Utopia Mosaico Pianoforte Comet
Hammered	Hammered	Hammered	Matte
120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	160x320 cm 63"x126"	162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ "	30x29 cm 11 ³ / ₄ "x10 ¹ / ₄ "

HOTEL MARINA

FLOOR
**Nyra Utopia
Acacia**
Outdoor Sensitech
120x120 cm | 47 1/4"x47 1/4" ± 20 mm

FACADE
**Nyra Utopia
Acacia**
Matt
120x278 cm | 47 1/4"x109 1/2"



INDEX



INSPIRATION



DESIGN
GALLERY



- COUNTRY VILLA
- PROMENADE
- ROOFTOP
- RESIDENTIAL DISTRICT
- MOUNTAIN SHANGRI-LA
- AIRPORT
- HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
**Nyra Utopia
Acacia**
Outdoor Sensitech
120x120 cm | 47¹/₄"x47¹/₄" ✂ 20 mm

FACADE
**Nyra Utopia
Acacia**
Matt
120x278 cm | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA
PROMENADE
ROOFTOP
RESIDENTIAL DISTRICT
MOUNTAIN SHANGRI-LA
AIRPORT

HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Nyra Utopia
Acacia
Outdoor Sensitech
120x120 cm | 47 1/4"x47 1/4" ± 20 mm

Nyra Utopia
Bordo Piscina Acacia
Outdoor Sensitech
30x60 cm | 11 3/4"x23 5/8" ± 20 mm

Nyra Utopia
Bordo Piscina Ang. Dx/Sx Acacia
Outdoor Sensitech
30x60 cm | 11 3/4"x23 5/8" ± 20 mm

FACADE

Nyra Utopia
Acacia
Matt
120x278 cm | 47 1/4"x109 1/2"



INDEX



INSPIRATION



DESIGN
GALLERY



- COUNTRY VILLA
- PROMENADE
- ROOFTOP
- RESIDENTIAL DISTRICT
- MOUNTAIN SHANGRI-LA
- AIRPORT
- HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Nyra Utopia
Acacia
Outdoor Sensitech
120x120 cm | 47¹/₄"x47¹/₄" ± 20 mm

WALL
Nyra Utopia
Acacia
Matte
120x278 cm | 47¹/₄"x109¹/₂"

BAR BACKSPLASH
Nyra Utopia
Acacia
Matte Sensitech
7,5x60 cm | 3"x23⁵/₈"

BAR COUNTERTOP
Atlas Plan
Sahara Dark
Hammered
162x324 cm | 63³/₄"x127¹/₂"

BAR WATERFALL
Nyra Utopia
Acacia
Ribbed
120x278 cm | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



DESIGN
GALLERY



- COUNTRY VILLA
- PROMENADE
- ROOFTOP
- RESIDENTIAL DISTRICT
- MOUNTAIN SHANGRI-LA
- AIRPORT
- HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





BAR BACKSPLASH
Nyra Utopia
Acacia
Matte Sensitech
7,5x60 cm | 3"x23⁵/₈"

BAR COUNTERTOP
Atlas Plan
Sahara Dark
Hammered
162x324 cm | 63³/₄"x127¹/₂"

BAR WATERFALL
Nyra Utopia
Acacia
Ribbed
120x278 cm | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



DESIGN
GALLERY



COUNTRY VILLA
PROMENADE
ROOFTOP
RESIDENTIAL DISTRICT
MOUNTAIN SHANGRI-LA
AIRPORT
HOTEL MARINA

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





SURFACE RANGE & TECHNICAL SPECIFICATIONS

- ◇ NYRA UTOPIA RANGE
- ◇ SENSITECH
- ◇ TECHNICAL SPECIFICATIONS
- ◇ ATLAS CONCORDE HABITAT
- ◇ NYRA WORLD

Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

Floor Wall Bathroom furniture		Reef	Popcorn	Barley	Acacia	Comet
	NATURALE					
	160x320* cm - 63"x126" - ID Skin	± 6 mm	Hammered		Hammered Natura-Body	Hammered Natura-Body
	120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ " - ID Skin	± 6 mm	Matte	Matte	Matte	Matte
	120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
	75x150 cm - 29 ¹ / ₂ "x59"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
	120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
	60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
	80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
	60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
	30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
	7,5x60 cm - 3"x23 ⁵ / ₈ "	± 8,5 mm			Matte Sensitech	Matte Sensitech
	HAMMERED					
	120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
	60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
	RIBBED					
	120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ " - ID Skin	± 6 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
	60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ " - ID Skin	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
	Slabs for Countertops					
	162x324* cm - 63 ³ / ₄ "x127 ¹ / ₂ "	± 12 mm	Hammered		Hammered Natura-Body	Hammered Natura-Body
	> Non rectified - non rettificato	± 20 mm			Hammered Natura-Body	Hammered Natura-Body
	Outdoor					
	60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
	60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm			Grip Sensitech	Grip Sensitech
	30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
	120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech
	60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech
	80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech
	60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech
	* Atlas Plan					

Wall tiles

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

			
		Reef	Popcorn
Wall			
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " Field	± 8,5 mm	Matte	Matte
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ " Field	± 8,5 mm	Matte	Matte
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ " 3D Saddle	± 10 mm	Matte	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " 3D Groove	± 10 mm	Matte	Matte

Sensitech pag. 103

ID Skin
This surface enhances the details and the fine texture of the product. - La superficie esalta i dettagli e la matericità del prodotto.

Natura-Body
Technology that creates visual continuity between surfaces, edges and corners. The aesthetic of the product is maintained through the the entire thickness of the slab.
Tecnologia che crea continuità visiva tra superficie, bordo ed angoli. Il prodotto mantiene la stessa qualità estetica su tutto lo spessore della lastra.

Destination of use	
M Matte ± 6 mm MEDIUM TRAFFIC	H Matte Sensitech ± 9 mm Grip Sensitech ± 9 mm Outdoor Sensitech ± 20 mm HEAVY TRAFFIC
Anti-slip	Color-shading
R9 A Matte ± 6 mm R10 A•B Matte Sensitech ± 9 mm R11 C Grip Sensitech ± 9 mm R11 C Outdoor Sensitech ± 20 mm	V2 Slight Variation All colors



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



NYRA UTOPIA RANGE

SENSITECH
TECHNICAL SPECIFICATIONS
ATLAS CONCORDE HABITAT
NYRA WORLD

ENJOY
THE VIDEO




3D Groove

Designed by **NOA**

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



Nyra Utopia 3D Groove Reef
50x120 cm - 19⁵/₈"x47¹/₄"



Nyra Utopia 3D Groove Popcorn
50x120 cm - 19⁵/₈"x47¹/₄"

3D Saddle

Designed by **Alberto Apostoli**

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



Nyra Utopia 3D Saddle Reef
40x80 cm - 19⁵/₈"x47¹/₄"



Nyra Utopia 3D Saddle Popcorn
40x80 cm - 19⁵/₈"x47¹/₄"

V2 Slight Variation
All colors



50x120 cm
19⁵/₈"x47¹/₄"

± 10 mm



For an optimal look it is advisable to lay the product in the same direction.
Per un risultato estetico ottimale si consiglia di posare il prodotto mantenendo lo stesso verso.

V2 Slight Variation
All colors



40x80 cm
15³/₄"x31¹/₂"

± 10 mm



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



NYRA UTOPIA RANGE

SENSITECH

TECHNICAL SPECIFICATIONS

ATLAS CONCORDE HABITAT

NYRA WORLD

ENJOY
THE VIDEO



Mosaico Earthquake

Designed by **NOA**

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит



Nyra Utopia Mosaico Earthquake
Reef
Matte
30x30 cm - 11³/₄"x11³/₄"




Nyra Utopia Mosaico Earthquake
Popcorn
Matte
30x30 cm - 11³/₄"x11³/₄"




Nyra Utopia Mosaico Earthquake
Barley
Matte
30x30 cm - 11³/₄"x11³/₄"

V2 Slight Variation
All colors



A 30 cm - 11³/₄"
B 30 cm - 11³/₄"
a 5,92 cm - 2⁵/₁₆"
b 5,92 cm - 2⁵/₁₆"

± 9 mm



Nyra Utopia Mosaico Earthquake
Acacia
Matte
30x30 cm - 11³/₄"x11³/₄"



Nyra Utopia Mosaico Earthquake
Comet
Matte
30x30 cm - 11³/₄"x11³/₄"

Mosaico Pianoforte

Designed by **NOA**

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит



Nyra Utopia Mosaico Pianoforte
Reef
Matte
30x29 cm - 11³/₄"x10¹/₄"




Nyra Utopia Mosaico Pianoforte
Popcorn
Matte
30x29 cm - 11³/₄"x10¹/₄"



Nyra Utopia Mosaico Pianoforte
Barley
Matte
30x29 cm - 11³/₄"x10¹/₄"

V2 Slight Variation
All colors



A 30 cm - 11³/₄"
B 29 cm - 10¹/₄"
a 2,3 cm - 7⁷/₈"
b 14,5 cm - 5¹¹/₁₆"

± 9 mm



Nyra Utopia Mosaico Pianoforte
Acacia
Matte
30x29 cm - 11³/₄"x10¹/₄"



Nyra Utopia Mosaico Pianoforte
Comet
Matte
30x29 cm - 11³/₄"x10¹/₄"



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



NYRA UTOPIA RANGE

SENSITECH

TECHNICAL SPECIFICATIONS

ATLAS CONCORDE HABITAT


NYRA WORLD

ENJOY
THE VIDEO




Trim tiles


Porcelain trim tiles



Wall trim tiles




Outdoor trim tiles $\pm$ 20 mm



Outdoor Porcelain tiles $\nless 20$ mm

For further details on the 20mm thick products, related trim pieces and installation systems - in particular for recommendations and precautions during installation- please refer to the Outdoor Design section on the Atlas Concorde website or to the Outdoor Design catalogue. Per dettagli sul prodotto e sui relativi pezzi speciali in 20mm di spessore, per i sistemi di posa e, in particolare, per raccomandazioni, accorgimenti e precauzioni in fase di posa e progettazione, si raccomanda di prendere visione del catalogo Outdoor Design e della sezione Outdoor Design del sito Atlas Concorde.

Sensitech



Traditional anti-slip surface

The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe, in Russia and the United States. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa, in Russia e negli Stati Uniti. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.



Porcelain tiles - Rectified monocaliber

Gres porcellanato - Rettificato monocalibro

Compliant with standards EN 14411 annex G group Bla
Compliant with standards ISO 13006 annex G group Bla
Conforme alla norma EN 14411 Appendice G gruppo Bla
Conforme alla norma ISO 13006 Appendice G gruppo Bla

160x320 cm - 63"x126"
120x278 cm - 47 1/4"x109 1/2"
120x240 cm - 47 1/4"x94 1/2"
75x150 cm - 29 1/2"x59"
120x120 cm - 47 1/4"x47 1/4"
80x80 cm - 31 1/2"x31 1/2"
60x120 cm - 23 3/8"x47 1/4"

± 6 mm
± 6 mm
± 9 mm
± 9 mm
± 9 mm
± 9 mm
± 9 mm

60x60 cm - 23 3/8"x23 3/8"
30x60 cm - 11 7/8"x23 3/8"
7,5x60 cm - 3"x23 3/8"
120x120 cm - 47 1/4"x47 1/4"
80x80 cm - 31 1/2"x31 1/2"
60x120 cm - 23 3/8"x47 1/4"
60x60 cm - 23 3/8"x23 3/8"

± 9 mm
± 9 mm
± 5 mm
± 20 mm
± 20 mm
± 20 mm
± 20 mm

Technical features Caratteristiche tecniche	Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles			
		7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm
 Length and width Lunghezza e larghezza Thickness Spessore Straightness of sides Rettilinearità degli spigoli Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)	ISO 10545-2	(mm)	(%)	(mm)				
		± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
 Surface flatness Planarità	ISO 10545-2	± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
 Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _v ≤ 0,5% Individual Maximum 0,6% E _v ≤ 0,5% Valore massimo singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
		Requirement ANSI A137.1 Water absorption max ≤ 0,5%			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
 Breaking strength Sforzo di rottura Modulus of rupture Resistenza alla flessione	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²
 Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-
		-			-	-	-	-
 Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
		-			-	-	-	-
 Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
		-			-	-	-	-
 Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹
		-			-	-	-	-
 Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
		-			-	-	-	-
 Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		-			-	-	-	-
 Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
		-			-	-	-	-
 Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)
		-			-	-	-	-
 Reaction to fire Reazione al fuoco	-	Class A1 or A1 _g Classe A1 oppure A1 _g			A1 - A1 _g	A1 - A1 _g	A1 - A1 _g	A1 - A1 _g
		-			-	-	-	-
 Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A
		Declared Class Classe dichiarata			LA	LA	LA	LA
		Declared Class Classe dichiarata			HA	HA	HA	HA
 Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali	ISO 10545-13	-			-	-	-	-
		-			-	-	-	-
 Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali	ISO 10545-13	-			-	-	-	-
		-			-	-	-	-
 Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5
		-			-	-	-	-
 Shood Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R9	R10	R11	R11
		-			-	-	-	-
 Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A	A+B	A+B+C	A+B+C
		-			-	-	-	-
 Pendulum Friction Test Metodo del Pendolo	(1)(2)	PTV ≥ 36 classifies the surface as "low slip risk"			(*)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
		Declared Classification of the new pedestrian surface materials according to the Pendulum Test			(**)	Class P3	Class P4	Class P4
 Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
		-			-	-	-	-
 Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55
		-			-	-	-	-

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(c.c.) The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(e.c.) The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(w.) The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (add resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
(2) Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
(3) For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
(4) Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.
(a.) PTV ≥ 36 Wet on demand / su richiesta (**) P3 on demand / su richiesta (***c.c.) C2 on demand / su richiesta



Wall tiles - Rectified monocaliber

Rivestimento - Rettificato monocalibro

Compliant with standards EN 14411 annex L group BIII
Compliant with standards ISO 13006 annex L group BIII
Conforme alla norma EN 14411 Appendice L gruppo BIII
Conforme alla norma ISO 13006 Appendice L gruppo BIII

50x120 cm - 19 5/8"x47 1/4"
40x80 cm - 15 7/8"x31 1/2"
50x120 cm - 19 5/8"x47 1/4"
40x80 cm - 15 7/8"x31 1/2"

± 8,5 mm
± 8,5 mm
± 10 mm
± 10 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Wall tiles	
			7 cm ≤ N < 15 cm	N ≥ 15 cm			
	Length and width Lunghezza e larghezza	ISO 10545-2	(mm)	(%)	(mm)	Suitable for Conforme	
	Thickness Spessore		± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	Suitable for Conforme	
	Straightness of sides Rettilineità degli spigoli		± 0,5 (**)	± 10 (**)	± 0,5 (**)	Suitable for Conforme	
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	Suitable for Conforme	
	Surface flatness Planarità	ISO 10545-2	c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	Suitable for Conforme	3D WALL Not applicable Non applicabile
			e.c. ± 0,6 Rect.	e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.		
			w. ± 0,6 Rect.	w. ± 0,4 Rect.	w. ± 1,8 Rect.		
	Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E _v ≤ 20%	
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	
	Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm ²			R ≥ 15 N/mm ²	
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,06% (0,6mm/m)	
	Crazing resistance Resistenza al cavillo	ISO 10545-11	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 10 N/mm ² (Class C2 - EN 12004)	
	Reaction to fire Reazione al fuoco	-	Class A1 Classe A1			A1	
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Minimum Class 3 Classe 3 minima			5	
	Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm ²) e Piombo (in mg/dm ²)	ISO 10545-15	Declared value Valore dichiarato			≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	



Furniture in combination with
Atlas Concorde surfaces

atlasconcorde.com >
ATLAS CONCORDE HABITAT




Bathroom Furniture


Custom Elements

Essenza


MONO
Single Sink




DUO
Twin Sink




UP
Sit-on basin



BLOCK
Free-Standing




LEVEL
Top




Evoluzione


MONO
Single Sink



DUO
Twin Sink




BLOCK
Free-standing




Dialogo

Designer Sinks
Single




Designer Sinks
Twin




Armonia

Single drawer




Twin drawer




Tables


BROOKLYN 75
Dining Tables




BROOKLYN 25
CoffeeTables




INCONTRO 75
Dining Tables




INCONTRO 25
CoffeeTables




CONTATTO
Side Table



MANHATTAN
Hospitality Tables



COSMOPOLITAN
Hospitality Tables




Signature Objects


BY PIERO LISSONI

Tratto


LIBRA
T-Frame




ELLE
L-Frame




TORRE
Wall I-Frame




TORRE
Ground I-Frame




TORRE
Slim Wall I-Frame




LINEA
T-Shelf




OMEGA
U-Shelf




GIOTTO
Side Table



HASHTAG
Flower Pot



ARCO
Bench



QUADRO - 3D QUADRO
Tray




DISCO - 3D DISCO
Tray



FILO
Serving Board



TRAMA
Centerpiece



Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.


Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali




Product certifications / Certificazioni di prodotto



Product declarations / Dichiarazioni di prodotto



Certification for buildings / Rating dell'edificio



Certifications for export to international markets*



Ratings and memberships



* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

⁽¹⁾ Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2026
⁽²⁾ Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB32>
⁽³⁾ Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: france@atlasconcorde.it
⁽⁴⁾ Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edili che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.
All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.

Stone and thought
in perfect balance.

DISCOVER
NYRA WORLD





atlasconcorde.com

Copyright 2026 by Ceramiche Atlas Concorde S.p.A.
(41042 Spezzano di Fiorenza (MO) - Italia)
September 2026