



FREEHAND

WOW

FREEHAND

Forward thinking design.

Two elongated shapes, a smooth even one and an elegant bevelled choice, both for interior use.

A proposal with matified glazes that contribute with a natural feel. Cotton, Terra, Ocean and Smoke organic colour palette, as well as the opalescent **Rainbow** colour that evolves into a beam of reflections.

As a complement, the simple lines of a fun hand drawing decor **Free** in several colour combinations.

Power your creative vision.

-

Diseño con visión de futuro.

Dos formatos rectangulares, uno fluido uniforme y uno con elegante bisel, ambos para uso interior.

Propuesta con esmaltes matificados que aportan un aire natural. Paleta de colores orgánicos Cotton, Terra, Ocean y Smoke, así como el color iridiscente **Rainbow** que evoluciona en un haz de reflejos .

Como complemento, un decorado de líneas sencillas dibujado a mano **Free** en varias opciones de color.

Potencia tu visión creativa.

01. SIZES, COLOURS AND FINISHES / FORMATOS, COLORES Y ACABADOS	<i>pag. 4</i>
02. GET INSPIRED / INSPIRATE	<i>pag. 6</i>
03. RECOMMENDATIONS / RECOMENDACIONES	<i>pag. 22</i>
04. TECHNICAL FEATURES / CARACTERÍSTICAS TÉCNICAS	<i>pag. 23</i>
05. TECHNICAL DRAWINGS / DIBUJOS TÉCNICOS	<i>pag. 24</i>
06. PACKING	<i>pag. 25</i>



Cotton, Cotton Bevel,
Rainbow & Rainbow Bevel

FREEHAND

5,2x16 cm / 2"x6.3"

W White Body



Cotton
W14




Cotton Bevel
W18




Free Terra Bevel
W18



Free Cotton Terra Bevel
W18



Free Smoke Bevel
W18



Free Cotton Smoke Bevel
W18



Free Ocean Bevel
W18



Free Cotton Ocean Bevel
W18



Rainbow
WS6



Rainbow Bevel
WS6

EDGE
0,8x16 cm / 0.3"x6.3"
WS3



Available in all Colours / Disponible en todos los colores



Cotton
Free Terra Bevel
Free Cotton Terra Bevel



Cotton, Free Smoke Bevel,
Free Ocean Bevel & Free Terra Bevel



Free Cotton Smoke Bevel



Cotton, Free Ocean Bevel
& Free Cotton Ocean Bevel



Cotton, Free Smoke Bevel
& Free Cotton Smoke Bevel




Cotton & Free Cotton Terra Bevel



Free Smoke Bevel



Free Terra Bevel & Free Cotton Terra Bevel



Rainbow, Cotton & Cotton Bevel



Rainbow, Cotton & Free Cotton Smoke Bevel



Cotton, Free Ocean Bevel & Free Cotton Ocean Bevel



Free Cotton Smoke Bevel



Rainbow & Cotton



Free Smoke Bevel, Free Cotton Smoke Bevel
& Cotton Bevel



Free Terra Bevel & Free Cotton Terra Bevel



Cotton, Free Smoke Bevel
& Free Cotton Smoke Bevel



Cotton, Free Ocean Bevel & Free Cotton Ocean Bevel

ALMACENAMIENTO

Para garantizar las características de su acabado, el producto debe mantenerse en su embalaje original hasta el momento de la colocación. Si el producto va a permanecer almacenado durante un largo periodo es conveniente hacerlo bajo cubierta.

COLOCACIÓN

Para garantizar una buena adhesión al soporte es necesaria la utilización de materiales de agarre y de rejuntado adecuados al ambiente al que vayan a estar sometidos. La colocación con morteros tradicionales no garantiza una buena adhesión.

Debido a la naturaleza del material pueden existir diferencias dimensionales entre piezas. Por ello deberán planificarse y ejecutarse correctamente todo tipo de juntas: estructurales, perimetrales, de dilatación y de colocación. La colocación sin juntas es desaconsejable desde cualquier punto de vista técnico, pudiendo ser el origen de diversas patologías. Para un resultado óptimo recomendamos usar 2 mm de junta.

MANTENIMIENTO Y LIMPIEZA

Finalizada la puesta en obra se recomienda eliminar los restos de materiales de agarre y rejuntado con un desincrustante comercial diseñado expresamente para baldosas cerámicas, rebajado con agua, permaneciendo en contacto con la superficie a limpiar no más de 5 minutos.

Como norma general no deben utilizarse detergentes en polvo ni estropajos metálicos o abrasivos. Generalmente será suficiente con una esponja, agua tibia y un jabón líquido neutro. Posteriormente aclarar con abundante agua limpia.

WAREHOUSING

In order to guarantee the characteristics of the finish the product must be kept in its original packaging until the time of fixing. If the product is likely to be stored for a long period of time it should be suitably covered.

TILE FIXING

To ensure the products adhere correctly to the surface, it is essential to use specific adhesive and grouting material. This must also be suitable for the environment they will have to withstand. Fitting with traditional mortars does not ensure good adhesion.


Due to the nature of the material there may be dimensional variations between pieces. Therefore, all types of joints must be planned and carried out correctly: structural, perimeter, expansion and installation joints. Fitting tiles without joints is not advisable from any technical point of view as this may lead to various problems. For an optimal result we advise to use 2 mm (0.08") grout.



MAINTENANCE AND CLEANING

Once the materials have been fitted, it is advisable to remove any remaining adhesive and grouting material by using a commercial descaling product designed especially, diluted with water. The descaling product must not remain in contact with the surface to be cleaned for more than 5 minutes.

As a general guideline, powder detergents should not be used, not wire wool or abrasive materials. Generally a sponge will be sufficient with warm water and liquid neutral soap. Then rinse with plenty of clean water.


Technical features for Dry-Pressed ceramic tiles with water absorption BIII (Eb >10%)
Características técnicas para las baldosas cerámicas prensadas en seco del grupo BIII (Eb >10%)

FEATURES / CARACTERÍSTICAS	SPECIFICATION / ESPECIFICACIÓN	NORMA
 Dimensional Features	52 mm +/- 0,75 mm x 160 mm +/- 0,5 % x 8,5 mm +/- 0,5 mm 52 mm +/- 0,75 mm x 160 mm +/- 0,5 % x 11 mm +/- 0,5 mm	UNE-EN ISO 10545-2:1998
 Water absorption	$E_b > 10\%$	UNE-EN ISO 10545-3:1997
 Modulus of rupture and breaking strength	Thickness $\geq 7,5$ mm mínimo 12 N/mm ² Thickness < 7,5 mm mínimo 15 N/mm ²	UNE-EN ISO 10545-4:2012
 Craze resistance	Pass	UNE-EN ISO 10545-11:1997
 Household products resistance	GA	UNE-EN ISO 10545-13:1998
 Chemical resistance	GHA (Except Rainbow & Rainbow Bevel)	UNE-EN ISO 10545-13:1998
 Stain resistance	Class 5	UNE-EN ISO 10545-14:1998



Model	Size (in)	Pieces/box	lb/box	sq ft/box	Box/pallet	sq ft/pallet
Cotton	2"x6.3"	60	15.83 lb	5.40 sq ft	133	718.20 sq ft
Cotton Bevel	2"x6.3"	48	15.43 lb	4.33 sq ft	133	575.89 sq ft
Free Terra Bevel	2"x6.3"	48	15.43 lb	4.33 sq ft	133	575.89 sq ft
Free Ocean Bevel	2"x6.3"	48	15.43 lb	4.33 sq ft	133	575.89 sq ft
Free Smoke Bevel	2"x6.3"	48	15.43 lb	4.33 sq ft	133	575.89 sq ft
Free Cotton Terra Bevel	2"x6.3"	48	15.43 lb	4.33 sq ft	133	575.89 sq ft
Free Cotton Ocean Bevel	2"x6.3"	48	15.43 lb	4.33 sq ft	133	575.89 sq ft
Free Cotton Smoke Bevel	2"x6.3"	48	15.43 lb	4.33 sq ft	133	575.89 sq ft
Rainbow	2"x6.3"	20	5.25 lb	1.80 sq ft	240	432.00 sq ft
Rainbow Bevel	2"x6.3"	17	5.67 lb	1.53 sq ft	240	367.20 sq ft
Edge	0.3"x6.3"	10	0.55 lb	5.25 sq ft	200	1050 sq ft

Modelo Model	Tamaño (cm) Size (cm)	Piezas/caja Pieces/box	Kg/caja kg/box	m ² /caja m ² /box	Cajas/palet Box/pallet	m ² /palet m ² /pallet
Cotton	5,2x16 cm	60	7,18 kg	0,502 m ²	133	66,766 m ²
Cotton Bevel	5,2x16 cm	48	7,00 kg	0,402 m ²	133	53,466 m ²
Free Terra Bevel	5,2x16 cm	48	7,00 kg	0,402 m ²	133	53,466 m ²
Free Ocean Bevel	5,2x16 cm	48	7,00 kg	0,402 m ²	133	53,466 m ²
Free Smoke Bevel	5,2x16 cm	48	7,00 kg	0,402 m ²	133	53,466 m ²
Free Cotton Terra Bevel	5,2x16 cm	48	7,00 kg	0,402 m ²	133	53,466 m ²
Free Cotton Ocean Bevel	5,2x16 cm	48	7,00 kg	0,402 m ²	133	53,466 m ²
Free Cotton Smoke Bevel	5,2x16 cm	48	7,00 kg	0,402 m ²	133	53,466 m ²
Rainbow	5,2x16 cm	20	2,38 kg	0,167 m ²	240	40,08 m ²
Rainbow Bevel	5,2x16 cm	17	2,57 kg	0,142 m ²	240	34,08 m ²
Edge	0,8x16 cm	10	0,25 kg	1,6 m	200	320 m



©2022 Tendencias Cerámicas

WOW, registered trademark of Tendencias Cerámicas, S.L.

The brand use or reproduction of the contents of this catalog, is protected by copyright law. Any use of the brand or reproduction thereof, in part or total, must be authorized by Tendencias Cerámicas, S.L. Otherwise, this action can be sanctioned according to the Law.

©2022 Tendencias Cerámicas

WOW, marca registrada por Tendencias Cerámicas, S.L.

La utilización de la marca o la reproducción del contenido de este catálogo está protegida por la Ley de Propiedad Intelectual. Cualquier uso de la marca o la reproducción del mismo, en parte o en su totalidad, debe ser autorizada por Tendencias Cerámicas, S.L., pudiendo, en caso contrario, ser esta acción sancionada de acuerdo con la Ley.

WOW reserves the right to modify and/or discontinue certain models displayed in this catalogue.
The colour of the pieces displayed herein may differ slightly from originals.
The settings shown in this catalogue are design proposals for advertising purposes.
In real situations in which the pieces are laid, the installation instructions published by WOW should be followed.

WOW se reserva el derecho de modificar y/o suprimir ciertos modelos expuestos en este catálogo sin previo aviso.
Los colores de las piezas pueden presentar ligeras diferencias respecto a las originales.
Los ambientes que se muestran en este catálogo son sugerencias decorativas de carácter publicitario,
debiéndose utilizar en la instalación real las instrucciones de colocación editadas por WOW.



Polígono Pont, Avda. de España 114
12180 Cabanes, Castellón (Spain)
t. +34 964 331 910 / f. +34 964 331 911

www.wowdesigneu.com
comercial@wowdesigneu.com

Designed by





WOW

www.wowdesigneu.com