MADE IN ITALY. MADE TO EXCEL.

BOOST COLOR



atlas concorde

CONCRETE LOOK

WALL TILES
Rivestimenti
Revêtements
Wandfliesen
Revestimientos
Настенная плитка

PORCELAIN TILES
Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит

atlas concorde

Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects.
Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali.
Design your world with Atlas Concorde.


atlasconcorde.com

INDEX

04 INSPIRATION
14 IMAGE GALLERY
50 SURFACE RANGE &
TECHNICAL SPECIFICATION

DOWNLOAD >
DIGITAL CATALOG

ENJOY THE
VIDEO



PASTEL REBELLION

INDEX


INSPIRATION

IMAGE GALLERY

SURFACE RANGE & TECHNICAL SPECIFICATION



Color selection by Piero Lissoni




14 SHADES OF PASTEL

INDEX

INSPIRATION

IMAGE GALLERY

SURFACE
RANGE &
TECHNICAL
SPECIFICATION



UNIQUE DECOR SELECTION

Frog Decor Design by Piero Lissoni

INDEX


INSPIRATION

IMAGE GALLERY

SURFACE
RANGE &
TECHNICAL
SPECIFICATION



Shade Decor



3D Pleat

INDEX

INSPIRATION

IMAGE GALLERY

SURFACE
RANGE &
TECHNICAL
SPECIFICATION



Brick

Ruler

INDEX

INSPIRATION

IMAGE GALLERY

SURFACE
RANGE &
TECHNICAL
SPECIFICATION



Boost Balance
Ash

Boost Color
Salix / Teal / Jade

CONTEMPORARY COLOR COMBINATION



Boost Balance
Moon

Boost Color
Dove / Linen / Mauve




Boost Balance
Pure

Boost Color
Pure / Moon / Mint



Boost Balance
Pearl

Boost Color
Iris / Navy



Boost Balance
Cream

Boost Color
Cream / Sun

BOOST COLOR + BOOST BALANCE

INDEX

INSPIRATION

IMAGE GALLERY

SURFACE RANGE & TECHNICAL SPECIFICATION



IMAGE GALLERY

16 HOME BATHROOM
22 HOME GYM
28 HOTEL BATHROOM
34 RETAIL
40 PUBLIC RESTROOM
46 SPA

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE RANGE & TECHNICAL SPECIFICATION



FLOOR
Boost Balance
Pearl
Matte Sensitech
120x120 cm | 47¼"x47¼"

WALL
Boost Color
Iris
Matte
50x120 cm | 19⅝"x47¼"

Boost Color
Navy
Matte
50x120 cm | 19⅝"x47¼"

Boost Color
3D Pleat Iris
Matte
50x120 cm | 19⅝"x47¼"

SINK
Atlas Concorde Habitat
Twin wall-mounted
Boost Balance
Pearl Matte



FLOOR
Boost Balance
Pearl
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Color
3D Pleat Iris
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Boost Color
Iris
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Boost Color
Frog Navy
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE RANGE & TECHNICAL SPECIFICATION





FLOOR
Boost Balance
Pearl
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Color
Frog Navy
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Boost Color
3D Pleat Iris
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

INDEX

INSPIRATION

IMAGE GALLERY
HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE
RANGE &
TECHNICAL
SPECIFICATION



FLOOR
Boost Balance
Moon
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Color
Linen
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Boost Color
Mauve
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Boost Color
Shade Decor Dove
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

SINK
Atlas Concorde Habitat
Single wall-mounted
Boost Balance
Moon Matte

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE
RANGE &
TECHNICAL
SPECIFICATION



FLOOR
Boost Balance
Moon
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color
Linen
Matte
50x120 cm | 19 5/8"x47 1/4"



FLOOR
Boost Balance
Moon
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color
Shade Decor Dove
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color
Mauve
Matte
50x120 cm | 19 5/8"x47 1/4"

SINK
Atlas Concorde Habitat
Single wall-mounted
Boost Balance
Moon Matte

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE RANGE & TECHNICAL SPECIFICATION



FLOOR
Boost Balance
Moon
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color
Linen
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color
Shade Decor Dove
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color
Mauve
Matte
50x120 cm | 19 5/8"x47 1/4"

SINK
Atlas Concorde Habitat
Single wall-mounted
Boost Balance
Moon Matte



INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE RANGE & TECHNICAL SPECIFICATION



FLOOR
Boost Balance
Cream
Matte Sensitech
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

WALL
Boost Color
Cream
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Color
Sun
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

SINK
Atlas Concorde Habitat
Single wall-mounted
Boost Balance
Cream Matte

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE
RANGE &
TECHNICAL
SPECIFICATION





FLOOR
Boost Balance
Cream
Matte Sensitech
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

WALL
Boost Color
Cream
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Color
Sun
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

SINK
Atlas Concorde Habitat
Single wall-mounted
Boost Balance
Cream Matte

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE
RANGE &
TECHNICAL
SPECIFICATION



FLOOR
Boost Balance Cream
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Color Sun
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Boost Color Brick Sun
Matte
33x37 cm | 13"x14⁵/₈"

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE RANGE & TECHNICAL SPECIFICATION



FLOOR
Boost Balance
Pure
Velvet
120x120 cm | 47¼"x47¼"

WALL
Boost Color
Mauve
Matte
120x278 cm | 47¼"x109½"

Boost Balance
Moon
Matte
120x278 cm | 47¼"x109½"

Boost Color
Ruler Mauve
Matte
50x40 cm | 19⅝"x14⅝"

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE RANGE & TECHNICAL SPECIFICATION



FLOOR
Boost Balance
Pure
Velvet
120x120 cm | 47¼"x47¼"

WALL
Boost Color
Mauve
Matte
120x278 cm | 47¼"x109½"

Boost Balance
Moon
Matte
120x278 cm | 47¼"x109½"

Boost Balance
Pure
Matte
120x278 cm | 47¼"x109½"

Boost Color
Ruler Mauve
Matte
50x40 cm | 19⅝"x14⅝"

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE
RANGE &
TECHNICAL
SPECIFICATION





FLOOR
Boost Balance
Pure
Velvet
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Balance
Moon
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Color
Ruler Mauve
Matte
50x40 cm | 19⁵/₈"x14⁵/₈"

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE
RANGE &
TECHNICAL
SPECIFICATION



FLOOR
Boost Balance
Pure
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Color
3D Pleat Jade
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Boost Color
Mint
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Boost Color
Pure Frog
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

SINK
Atlas Concorde Habitat
Twin wall-mounted
Boost Balance
Pure Matte

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE RANGE & TECHNICAL SPECIFICATION





FLOOR
Boost Balance
Pure
Matte Sensitech
120x120 cm | $47^{1}/_{4}$"x$47^{1}/_{4}$"

WALL
Boost Color
3D Pleat Jade
Matte
50x120 cm | $19^{5}/_{8}$"x$47^{1}/_{4}$"

Boost Color
Pure Frog
Matte
50x120 cm | $19^{5}/_{8}$"x$47^{1}/_{4}$"

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE RANGE & TECHNICAL SPECIFICATION



FLOOR
Boost Balance
Pure
Matte Sensitech
120x120 cm | 47$^{1}/_{4}$"x47$^{1}/_{4}$"

WALL
Boost Color
Mint
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Color
Pure Frog
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

Boost Color
3D Pleat Jade
Matte
50x120 cm | 19$^{5}/_{8}$"x47$^{1}/_{4}$"

SINK
Atlas Concorde Habitat
Twin wall-mounted
Boost Balance
Pure Matte

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE RANGE & TECHNICAL SPECIFICATION



FLOOR
Boost Balance
Ash
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color
Salix
Matte
50x120 cm | 19 5/8"x47 1/4"

Boost Color
Teal
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Color
Ruler Jade
Matte
50x40 cm | 19 5/8"x15 3/4"

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE
RANGE &
TECHNICAL
SPECIFICATION





FLOOR
Boost Balance
Ash
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Color
Teal
Matte
120x278 cm | 47 1/4"x109 1/2"

Boost Color
Ruler Jade
Matte
50x40 cm | 19 5/8"x15 3/4"

INDEX

INSPIRATION

IMAGE GALLERY

HOME BATHROOM
HOME GYM
HOTEL BATHROOM
RETAIL
PUBLIC RESTROOM
SPA

SURFACE
RANGE &
TECHNICAL
SPECIFICATION



SURFACE RANGE & TECHNICAL SPECIFICATIONS

52 COLORS & DIMENSIONS
54 DECOR RANGE
62 CONTEMPORAY COLOR COMBINATION
64 BOOST WORLD


COLORS & DIMENSIONS

Wall Tiles & Porcelain tiles

Color Selection by Piero Lissoni

	Pure	Moon	Dove	Linen	Mauve	Pebble	Cream	Sun	Salix	Mint	Jade	Teal	Iris	Navy
Wall Tiles ⧳8,5 mm 50x120 cm - 19⅝"x47¼"	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte
Porcelain Tiles ⧳6 mm 120x278 cm - 47¼"x109½"					Matte				Matte		Matte	Matte		

Wall Trim Tiles



Corner 50 ✖✓
1,4x50 cm - ⅝"x19⅝"



Corner A.E.
1,4x1,4 cm - ⅝"x⅝"

✖ **Available in all colors** / Disponibile in tutti i colori
✓ **These parts are supplied to order** / I pezzi sono disponibili su ordinazione

Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. - Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. - Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.ù

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. - I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif. -Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. - Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications. - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. - Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

PURE
MOON
DOVE
LINEN
MAUVE
PEBBLE
CREAM
SUN
SALIX
MINT
JADE
TEAL
IRIS
NAVY

INDEX
INSPIRATION
IMAGE GALLERY
SURFACE RANGE & TECHNICAL SPECIFICATION

DECOR RANGE



Frog

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
PORCELAIN TILES - Gres porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

50x120 cm
19 5/8"x47 1/4"

± 8,5 mm

120x278 cm
47 1/4"x109 1/2"

± 6 mm

Dove

Pure


Navy



INDEX
INSPIRATION
IMAGE GALLERY
SURFACE RANGE & TECHNICAL SPECIFICATION

3D Pleat

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

50x120 cm
19 5/8"x47 1/4"

8,5 mm

Linen

Mauve

Jade

Iris



Shade Decor

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре


50x120 cm
19 5/8"x47 1/4"

8,5 mm

Dove

Mint

Iris




INDEX
INSPIRATION
IMAGE GALLERY
SURFACE RANGE & TECHNICAL SPECIFICATION

Ruler

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

50x40 cm
19 5/8"x15 3/4"

8,5 mm


Mauve

Linen

Iris

Mint



Brick


WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

33x37 cm
13"x14 5/8"


8,5 mm

Pure

Moon


Dove

Linen


Mauve


Pebble


Cream

Sun


Salix


Mint


Jade


Teal


Iris


Navy



INDEX

INSPIRATION

IMAGE GALLERY

SURFACE RANGE & TECHNICAL SPECIFICATION

Wall tiles - Rectified monocaliber
Rivestimento - Rettificato monocalibro

Compliant with standards EN 14411 annex L group BIII
Compliant with standards ISO 13006 annex L group BIII
Conforme alla norma EN 14411 Appendice L gruppo BIII
Conforme alla norma ISO 13006 Appendice L gruppo BIII

Matte
50x120 cm ✠ 8,5 mm

	Test Method Metodo di prova	Requirements for nominal size N Requisiti per dimensione nominale N			Wall tiles
		7 cm ≤ N < 15 cm	N ≥ 15 cm		
		(mm)	(%)	(mm)	
REGULARITY CHARACTERISTICS CARATTERISTICHE DI REGOLARITÀ					
Length and width Lunghezza e larghezza	ISO 10545-2	± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	**Suitable for** Conforme
Thickness Spessore		± 0,5 (**)	± 10 (**)	± 0,5 (**)	**Suitable for** Conforme
Straightness of sides Rettilineità degli spigoli		± 0,5 (**)	± 0,3 (***) Rect.	± 0,8 (***) Rect.	**Suitable for** Conforme
Rectangularity Ortogonalità		± 0,4 (****) Rect.	± 0,3 (****) Rect.	± 1,5 (****) Rect.	**Suitable for** Conforme
Surface flatness Planarità	10545-2	c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	**Suitable for** Conforme
		e.c. ± 0,6 Rect.	e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.	**3D WALL Not applicable** 3D WALL Non applicabile
		w. ± 0,6 Rect.	w. ± 0,4 Rect.	w. ± 1,8 Rect.	
STRUCTURAL CHARACTERISTICS CARATTERISTICHE STRUTTUALI					
Water absorption Massa d'acqua assorbita	ISO 10545-3	**Average >10%. When the average > 20%, this shall be indicated. Individual value > 9%** Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E_v ≤ 20%
BULK MECHANICAL CHARACTERISTICS CARATTERISTICHE MECCANICHE MASSIVE					
Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N
Modulus of rupture Resistenza alla flessione		R ≥ 15N/mm²			R ≥ 15 N/mm²
THERMAL AND IGROMETRIC CHARACTERISTICS CARATTERISTICHE TERMO-IGROMETRICHE					
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK^{-1}
Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste
Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,06% (0,6mm/m)
Crazing resistance Resistenza al cavillo	ISO 10545-11	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste
Frost resistance	ISO 10545-12	-			-
PHYSICAL PROPERTIES PROPRIETÀ FISICHE					
Bond strength Adesione a trazione	EN 1348	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2-EN 12004)
Bond strength Adesione a trazione	EN 12004-2	-			-
Reaction to fire Reazione al fuoco	-	**Class A1** Classe A1			A1
CHEMICAL CHARACTERISTICS CARATTERISTICHE CHIMICHE					
Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A
Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA
Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA
Resistance to staining Resistenza alle macchie	ISO 10545-14	**Minimum Class 3** Classe 3 minima			5
Release of dangerous substances Rilascio di sostanze pericolose	ISO 10545-15	**Declared value** Valore dichiarato			≤ 0,01 mg/dm Cd ≤ 0,1 mg/dm Pb

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
(c.c.) **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
(e.c.) **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
(*) **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
(•) PTV >= 36 Wet on demand / su richiesta.
(••) P3 on demand / su richiesta.
(•••) C2 on demand / su richiesta.
(i) R9 on demand / su richiesta.
(ii) DCOF >0,42wet on demand / su richiesta.

Porcelain tiles - Rectified monocaliber
Gres porcellanato - Rettificato monocalibro

Compliant with standards EN 14411 annex G group BIa
Compliant with standards ISO 13006 annex G group BIa
Conforme alla norma EN 1441 1 Appendice G gruppo BIa
Conforme alla norma ISO 13006 Appendice G gruppo BIa

Matte
120x278 cm ✠ 6 mm

	Test Method Metodo di prova	Requirements for nominal size N Requisiti per dimensione nominale N			Porcelain tiles
		7 cm ≤ N < 15 cm	N ≥ 15 cm		
		(mm)	(%)	(mm)	
REGULARITY CHARACTERISTICS CARATTERISTICHE DI REGOLARITÀ					
Length and width Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect	**Suitable for** Conforme
Thickness Spessore		± 0,5 (**)	± 0,5 (**)	± 0,5 (**)	**Suitable for** Conforme
Straightness of sides Rettilineità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	**Suitable for** Conforme
Rectangularity Ortogonalità		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	**Suitable for** Conforme
Surface flatness Planarità	10545-2	c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	**Suitable for** Conforme
		e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.	
		w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.	
STRUCTURAL CHARACTERISTICS CARATTERISTICHE STRUTTUALI					
Water absorption Massa d'acqua assorbita	ISO 10545-3	**EV ≤ 0,5% Individual Maximum 0,6%** EV 0,5% Valore massimo singolo 0,6%			<=0.1%
Water absorption Massa d'acqua assorbita	ASTM C 373	**Requirement ANSI A137.1-2017 Water absorption max ≤ 0,5%**			<=0.5%
BULK MECHANICAL CHARACTERISTICS CARATTERISTICHE MECCANICHE MASSIVE					
Breaking strength Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** – per spessore 7,5 mm)			S >=1000 N
Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²
Impact resistance	ISO 10545-5	**Declared value** Valore dichiarato			>=0.55
Resistance to deep abrasion of unglazed tiles	ISO 10545-6	≤ 175 mm³			<=150mm³
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato			<=7MK^{-1}
Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste
Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	**Declared value** Valore dichiarato			≤ 0,01% (0,1mm/m)
Frost resistance	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1			**Resistant** Resiste
PHYSICAL PROPERTIES PROPRIETÀ FISICHE					
Bond strength Adesione a trazione	EN 12004-2	**Declared value** Valore dichiarato			≥ 1,0 N/mm² (Class C2-EN 12004)
Reaction to fire Reazione al fuoco	-	**Class A1 or A1fl** Classe A1 oppure A1fl			A1 - A1fl
CHEMICAL CHARACTERISTICS CARATTERISTICHE CHIMICHE					
Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B			A
Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			LA
Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata			HA
Resistance to staining Resistenza alle macchie	ISO 10545-14	**Minimum Class 3** Classe 3 minima			5
Release of dangerous substances Rilascio di sostanze pericolose	ISO 10545-15	-			≤ 0,01 mg/dm Cd ≤ 0,1 mg/dm Pb
Shod Ramp test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared value** Valore dichiarato			R9
Barefoot Ramp test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared value** Valore dichiarato			A
Pendulum friction test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	**PTV ≥ 36 classifies the surface as "low slip risk"**			(•)
Pendulum friction test Metodo del Pendolo	AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**			(••)
Pendulum friction test Metodo del Pendolo	UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato			(•••)
Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 >0,40 per elemento scivolante cuoio su pavimentazione asciutta >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			>0.40Asciutto >0.40Bagnato
Dynamic coefficent of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF>= 0,42

INDEX
INSPIRATION
IMAGE GALLERY
SURFACE RANGE & TECHNICAL SPECIFICATION

CONTEMPORARY COLOR COMBINATION.

BOOST COLOR



BOOST BALANCE






INDEX
INSPIRATION
IMAGE GALLERY
SURFACE RANGE & TECHNICAL SPECIFICATION

BOOSTWORLD

BOOST BOOST PRO BOOST MIX BOOST MINERAL BOOST STONE BOOST NATURAL BOOST BALANCE BOOST COLOR



BOOST YOUR STYLE

Boost World is a design tool that combines ceramic surfaces in their inspiration, style, and tone, allowing for coordinated solutions in any space.

Boost World è uno strumento progettuale che coniuga in un'unica prospettiva superfici ceramiche differenti per ispirazione ma affini per stile e tonalità, consentendo soluzioni coordinate in ogni destinazione d'uso.

DOWNLOAD
BOOST WORLD
CATALOG

ETHICAL IDENTITY

For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Ceramics of Italy

MADE IN ITALY

CERTIFICATIONS

Company certifications / Certificazioni aziendali

QUALITY SYSTEM CERTIFICATION DNV ISO 9001 · ENVIRONMENTAL SYSTEM CERTIFICATION DNV ISO 14001 · SAFETY SYSTEM CERTIFICATION DNV ISO 45001

Product certifications / Certificazioni di prodotto

ISO 17889-1 · GREENGUARD GOLD

Product declarations / Dichiarazioni di prodotto

EPD · PEF · FDES VERIFIED ines · HPD Health Product Declaration · Declare.

Certification for buildings / Rating dell'edificio

WELL v2

Atlas Concorde porcelain tiles and single-fired products can contribute towards earning pointsneeded for LEED® certification.

Certifications for export to international markets*

CE · CCC · SQM SAUDI ARABIA · SGS INDONESIA · QB UPEC (1) (2) (3)

atlasconcorde.com cstb.fr

*** Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country.** - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistán, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

(1) Classificazione UPEC aggiornata al – Classement UPEC mis à jour au: 2024
(2) Si consiglia la consultazione della pagina – On vous conseille de vous connecter à: https://database.cstb.fr/holderdetails?Uid=ETB-2094&AppRef=QB32
(3) Per ulteriori informazioni scrivere a – Pour tous renseignements complémentaires merci d'ecrire à: france@atlasconcorde.it
(4) Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edilizi che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.
All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.

INDEX
INSPIRATION
IMAGE GALLERY
SURFACE RANGE & TECHNICAL SPECIFICATION



Ceramiche Atlas Concorde S.p.A.
Via Canaletto 141
41042 Spezzano di Fiorano (MO) – Italia

Atlas Concorde USA, Inc.
117 Seaboard Lane – Suite F170
Franklin, TN 37067 – USA

Atlas Concorde Russia
Business centre "Meliora Place"
Prospekt Mira 6
129090 Moscow - Russia

Atlas Concorde Middle East, Fz-Llc
Building 8 - Suite 106
D3 Dubai Design District
United Arab Emirates

atlasconcorde.com

Copyright 2024 by Ceramiche Atlas Concorde S.p.A
(41042 Spezzano di Fiorano (MO) – Italia)
March 2024